

Ecological Research

Volume 15
2000

EDITOR-IN-CHIEF
Seigo Higashi

ASSOCIATE EDITORS
Takashi Kohyama
Satoshi Kobayashi
Kazuo Yabe

b

Blackwell
Science
Asia

Ecological Research

EDITOR-IN-CHIEF

Seigo Higashi, Graduate School of Environmental Earth Science,
Hokkaido University, Sapporo

ASSOCIATE EDITORS

Takashi Kohyama, Graduate School of Environmental Earth
Science, Hokkaido University, Sapporo
Satoshi Kobayashi, Kushiro Public University, Kushiro
Kazuo Yabe, Sapporo School of the Arts, Sapporo

EDITORIAL BOARD

Kouki Hikosaka, Tohoku University, Sendai
Takasi Kagaya, University of Tokyo, Tokyo
Nobuhiro Kaneko, Yokohama National University, Yokohama
Zen-ichiro Kawabata, Kyoto University, Otsu
Hiroyuki Matsuda, University of Tokyo, Tokyo
Masashi Ohara, University of Tokyo, Tokyo
Takashi Saitoh, Forestry and Forest Products Research Institute,
Kyoto
Satoki Sakai, Tohoku University, Sendai
Seiki Takatsuki, University of Tokyo, Tokyo
Sun-Kee Hong, Seoul National University, Korea
Katsuki Nakai, Lake Biwa Museum, Kusatsu
Akira Osawa, Ryukoku University, Otsu
Kanehiro Kitayama, Kyoto University, Otsu
Takayuki Nakatubo, Hiroshima University, Higashi-Hiroshima
Ian M. Turner, National Parks Board, Singapore
Keisuke Ueda, Rikkyo University, Tokyo
Hironori Yasuda, Yamagata University, Tsuruoka

EDITORIAL ADVISORY BOARD

Tom Fenchel, University of Copenhagen, Helsingør, Denmark
Raghavendra Gadagkar, Indian Institute of Science, Bangalore,
India
Peter J. Grubb, University of Cambridge, Cambridge, UK
Xingguo Han, Chinese Academy of Sciences, Beijing, People's
Republic of China
Jiro Kikkawa, University of Queensland, Brisbane, Australia
Roger Kitching, Griffith University, Brisbane, Australia
Byung-Hoon Lee, Chonbuk National University, Chonju, Republic
of Korea
Simon A. Levin, Princeton University, Princeton, USA
Peter H. Raven, Missouri Botanical Garden, St Louis, USA
Colin S. Reynolds, ERC Institute of Freshwater Ecology, Cumbria,
UK
David Tilman, University of Minnesota, St Paul, USA
Edward O. Wilson, Harvard University, Cambridge, USA

EDITORIAL ASSISTANT

Chie Miura, Hokkaido University, Sapporo, Japan
Email: ecores@ees.hokudai.ac.jp

PRODUCTION EDITOR

Catherine Hunt, Blackwell Science Asia, Melbourne, Australia
Email: Catherine.Hunt@blacksci-asia.com.au

Visit the Journal home page at www.blackwell-science.com/ere

Editorial Policy

Ecological Research has been published in English by the Ecological Society of Japan since 1986 in order to promote internationally the results of research in ecology. The Journal publishes peer-reviewed, original research papers, critical reviews, technical reports, and notes and comments covering all aspects of ecology. Manuscripts are judged on the basis of their contribution of original data and ideas or interpretation. Manuscripts are edited where necessary for clarity and economy.

Manuscripts submitted must not have been published, accepted for publication, or be under consideration elsewhere. All papers accepted become the copyright of the Society.

Editorial Correspondence

Manuscripts and editorial correspondence should be addressed to: Dr Seigo Higashi, *Ecological Research*, c/o Graduate School of Environmental Earth Science, Hokkaido University, Sapporo 060-0810, Japan (Email: ecores@ees.hokudai.ac.jp; fax: international +81 11 706 4864).

Abstracting and Indexing

Ecological Research is indexed by BIOSIS Database, CAB Abstracts, Cambridge Scientific Abstracts, Chemical Abstracts Service, Current Contents/Agriculture, Biology and Environmental Sciences, Ecological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Environmental Periodicals Bibliography, GEOBASE, JOIS, Journals@Ovid, Meteorological & Geostrophical Abstracts, Research Alert, Science Citation Index, SciSearch, UniCover, University Microfilms and Zoological Record.

Subscriptions and Advertising Bookings

Ecological Research is published four times per year and the subscription prices for 2000 are ¥43 120 (Japan) or US\$308.00/A\$513.35 (overseas). For Australian subscribers the price includes the relevant GST. The Journal is dispatched by surface airlifted post from Japan.

All matters relating to orders, subscriptions, back issues, reprints and offprints from Volume 7 onwards, offprints and advertisement bookings should be sent to: Blackwell Science Asia, PO Box 378 (54 University Street), Carlton South, Victoria 3053, Australia (Email: info@blacksci-asia.com.au; fax: +61 3 9347 5001; tel: +61 3 9347 0300).

Copyright and Photocopying

© 2000 Ecological Society of Japan. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients is granted by the Ecological Society of Japan for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of US\$15.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the publishers. 0912-3814/00 \$15.00.

Disclaimer: The Publisher, Society and Editors cannot be held responsible for errors or any consequences arising from the use of information contained in this journal. Publication of advertisements does not constitute any endorsement by the Publisher, Society or the Editors of the products advertised. The views and opinions expressed do not necessarily reflect those of the Publisher, Society or Editors.

This journal is printed on acid-free paper.

Contents

VOLUME 15, NUMBER 1, MARCH 2000

Variations in abiotic defense within myrmecophytic and non-myrmecophytic species of <i>Macaranga</i> in a Bornean dipterocarp forest <i>Masahiro Nomura, Takao Itioka and Takao Itino</i>	1
Measures of spatial heterogeneity for species occurrence or disease incidence with finite-counts <i>Masae Shiyomi and Jin Yoshimura</i>	13
Quantities and types of ectomycorrhizal and endophytic fungi associated with <i>Betula platyphylla</i> var. <i>japonica</i> seedlings during the initial stage of establishment of vegetation after disturbance <i>Yasushi Hashimoto and Mitsuro Hyakumachi</i>	21
Seed dormancy/germination traits of seven <i>Persicaria</i> species and their implication in soil seed-bank strategy <i>Sachiko Araki and Izumi Wasbitani</i>	33
Phenology of a common roadside fig in Sarawak <i>Rhett Harrison, Norio Yamamura and Tamiji Inoue</i>	47
Impacts of dry and hazy weather in 1997 on a tropical rainforest ecosystem in West Sumatra, Indonesia <i>Tsuyoshi Yoneda, Sen Nishimura and Chairul</i>	63
Terrestrial gastropods and experimental climate change: A field study in a calcareous grassland <i>Marcelo Sternberg</i>	73
Caste developmental system of the Japanese damp-wood termite <i>Hodotermopsis japonica</i> (Isoptera: Termopsidae) <i>T. Miura, Y. Hirono, M. Machida, O. Kitade and T. Matsumoto</i>	83
Coexistence of drosophilid flies: Aggregation, patch size diversity and parasitism <i>Hideyuki Mitsui and Masahito T. Kimura</i>	93
Note and Comment	
Patterns and propensities in reproduction and growth of marine fishes <i>Philippe Cury and Daniel Pauly</i>	101
Note and Comment	
Effects of nutrient loadings from catchments on Asajino mire, a small coastal ombrotrophic mire in northernmost Japan <i>Akira Haraguchi, Shigeru Uemura and Kazuo Yabe</i>	107

VOLUME 15, NUMBER 2, JUNE 2000

Parasitism strategy of the gray starling, <i>Sturnus cineraceus</i> : Selection based on host characters and nest location <i>Yasubiro Yamaguchi</i>	113
Estimation of mycelial biomass of arbuscular mycorrhizal fungi associated with the annual legume <i>Kummerowia striata</i> by ergosterol analysis <i>Masaaki Fujiyoshi, Takayuki Nakatsubo, Satoko Ogura and Takao Horikoshi</i>	121

Seed dispersal and predation by Yakushima macaques, <i>Macaca fuscata yakui</i> , in a warm temperate forest of Yakushima Island, southern Japan <i>Tatsuya Otani and Ei'ichi Shibata</i>	133
Flow rate mediates the competitive influence of a grazing caddisfly on mayflies <i>Naotoshi Kubara, Shigeru Nakano and Hitoshi Miyasaka</i>	145
Seasonal food habits of a sika deer population in the warm temperate forest of the westernmost part of Honshu, Japan <i>Palitha Jayasekara and Seiki Takatsuki</i>	153
Community dynamic models of two dioecious tree species <i>Satoshi Nanami, Hideyuki Kawaguchi and Takuwa Kubo</i>	159
Photosynthesis and water-relation traits of the summer annual C ₄ grasses, <i>Eleusine indica</i> and <i>Digitaria adscendens</i> , with contrasting trampling tolerance <i>Tsuyoshi Kobayashi and Yoshimichi Hori</i>	165
Push-up response of stonefly larvae in low-oxygen conditions <i>Motomi Genkai-Kato, Kentaro Nozaki, Hiromune Mitsubashi, Yukihiro Kobmatsu, Hitoshi Miyasaka and Masami Nakanishi</i>	175
An initial comparison of growth rates in the rare grass <i>Achnatherum hendersonii</i> and its common associate <i>Poa secunda</i> <i>Elizabeth P. Binney and Gary E. Bradfield</i>	181
Effects of seed aggregation on the removal rates of elaiosome-bearing <i>Chelidonium majus</i> and <i>Viola odourata</i> seeds carried by <i>Formica polyctena</i> ants <i>Elena Gorb and Stanislav Gorb</i>	187
Variation of sterility and fertility in <i>Utricularia australis</i> f. <i>australis</i> in Hokkaido, northern Japan <i>Satoru Araki</i>	193
Estimation of the canopy-gap size using two photographs taken at different heights <i>Kazukiyo Yamamoto</i>	203
Effects of food distribution on the habitat usage of a female brown bear <i>Ursus arctos yesoensis</i> in a beech-forest zone of northernmost Japan <i>Fuyuki Nomura and Seigo Higashi</i>	209
Effects of herbivore-bearing adult trees of the oak <i>Quercus crispula</i> on the survival of their seedlings <i>Naoya Wada, Masashi Murakami and Kunikichi Yoshida</i>	219
Note and Comment	
Effects of flooding on a wetland bird community <i>Tetsuo Shimada, Aaron Bouman and Mitsuru Ishida</i>	229
Note and Comment	
Higher mortality of smaller sika deer fawns <i>Seiki Takatsuki and Yukiko Matsuura</i>	237

VOLUME 15, NUMBER 3, SEPTEMBER 2000

Differential salt tolerance of two <i>Artemisia</i> species growing in contrasting coastal habitats <i>Shin-Ichi Ishikawa and Naoki Kachi</i>	241
Regeneration patterns in relation to canopy species composition and site variables in mixed oak forests in the Sierra de Manantlán Biosphere Reserve, Mexico <i>Blanca Lorena Figueroa-Rangel and Miguel Olvera-Vargas</i>	249

Microsatellite analysis of pollen flow in <i>Rhododendron metternichii</i> var. <i>bondoense</i> <i>Yoshiaki Kameyama, Yuji Isagi, Kazuaki Naito and Nobukazu Nakagoshi</i>	263
Interspecific effects of grey squirrels (<i>Sciurus carolinensis</i>) on the space use and population demography of red squirrels (<i>Sciurus vulgaris</i>) in conifer plantations <i>Luc A. Wauters, Peter W. W. Lurz and John Gurnell</i>	271
Spatial genetic relationships in a population of the Japanese wood mouse <i>Apodemus argenteus</i> <i>Naoki Ohnishi, Takashi Saitoh and Yasuyuki Ishibashi</i>	285
Competition along a nutrient gradient: A case study with <i>Daucus carota</i> and <i>Chenopodium album</i> <i>Bo Li and Andrew R. Watkinson</i>	293
Effects of population size and pollinator limitation on seed-set of <i>Primula sieboldii</i> populations in a fragmented landscape <i>Chizuru Matsumura and Izumi Washitani</i>	307
Contribution of root respiration to total soil respiration in a Japanese cedar (<i>Cryptomeria japonica</i> D. Don) artificial forest <i>Mizue Ohashi, Koichiro Gyokusen and Akira Saito</i>	323
Effects of rodent gnawing on the survival of current-year seedlings of <i>Quercus crispula</i> <i>Tashihiko Sato</i>	335
Food habits of sika deer and nutritional value of sika deer diets in eastern Hokkaido, Japan <i>Mayumi Yokoyama, Koichi Kaji and Masatsugu Suzuki</i>	349
Note and Comment	
No distributional association between the tick <i>Haemaphysalis longicornis</i> (Acari: Ixodidae) and plant surface area <i>Takashi Tsunoda and Keiji Mori</i>	357
Corrigendum	361

VOLUME 15, NUMBER 4, DECEMBER 2000

Winter CO ₂ flux from soil and snow surfaces in a cool-temperate deciduous forest, Japan <i>Shigeru Mariko, Noboru Nishimura, Wenhong Mo, Yoshisuke Matsui, Takeshi Kibe and Hiroshi Koizumi</i>	363
Bird community composition patterns in urban parks of Madrid: The role of age, size and isolation <i>Esteban Fernández-Juricic</i>	373
Improved growth and water use efficiency of cherry saplings under reduced light intensity <i>Mauro Centritto, Francesco Loreto, Angelo Massacci, Fabrizio Pietrini, Maria C. Villani and Massimo Zaccbini</i>	385
Relationship between leaf characteristics, tree sizes and species distribution along a slope in a warm temperate forest <i>Yuko T. Hanba, Naobiko Noma and Kiyoshi Umeki</i>	393
Symbiosis of a termite and a sclerotium-forming fungus: Sclerotia mimic termite eggs <i>K. Matsuura, C. Tanaka and T. Nishida</i>	405
Magnitude of within-patch variation in seagrass <i>Halophila ovalis</i> growth affected by adjacent <i>Thalassia hemprichii</i> vegetation <i>Masabiro Nakaoka and Hitoshi Iizumi</i>	415

Initial nitrogen content and topographic moisture effects on the decomposition of pine needles <i>Tsutomu Enoki and Hideyuki Kawaguchi</i>	425
Leaf litter decomposition of canopy trees, bamboo and moss in a montane moist evergreen broad-leaved forest on Ailao Mountain, Yunnan, south-west China <i>Liu Wenyao, John E. D. Fox and Xu Zaifu</i>	435
Note and Comment	
Asymmetric interactions between plants and seed-harvesting ants in a Mediterranean pasture <i>F. López, F. J. Acosta and J. M. Serrano</i>	449
Note and Comment	
Kidney fat and marrow fat indices of the sika deer population of Mount Goyo, northern Japan <i>Seiki Takatsuki</i>	453
Corrigendum	459
Referees	461
Author index	463
Subject index	465

